

111 C18



0797

Fa. Dold Holzwerke GmbH, D-79256 Buchenbach

08

0797-CPR-0532

EN 14081-1:2011-05

Strength graded timber

Dimension of transverse section See delivery note

C18 (S7) Green graded

Species code WPCA

Grading rules EN 338 / DIN 4074

Fire resistance code D-s2,d0 (Tabelle C.1)

Evaporation of dangerous agents NPD

Durability as classification considering:

- Destructive fungi Class 5


- Insectes NPD

-Termites NPD

- Timber-destructive maritime insects NPD

NPD: no performance determined

111 C24



0797

Fa. Dold Holzwerke GmbH, D-79256 Buchenbach

08

0797-CPR-0532

EN 14081-1:2011-05

Strength graded timber

Dimension of transverse section See delivery note

C24 (S10) Green graded

Species code WPCA

Grading rules EN 338 / DIN 4074

Fire resistance code D-s2,d0 (Tabelle C.1)

Evaporation of dangerous agents NPD

Durability as classification considering:

- Destructive fungi Class 5



- Insectes NPD

-Termites NPD

- Timber-destructive maritime insects NPD

no performance determined

NPD:

111 C30	
 	
0797	
Fa. Dold Holzwerke GmbH, D-79256 Buchenbach	
08	
0797-CPR-0532	
EN 14081-1:2011-05	
Strength graded timber	
Dimension of transverse section	See delivery note
C30 (S13)	Green graded
Species code	WPCA
Grading rules	EN 338 / DIN 4074
Fire resistance code	D-s2,d0 (Tabelle C.1)
Evaporation of dangerous agents	NPD
Durability as classification considering:	
- Destructive fungi	Class 5
- Insectes	NPD
-Termites	NPD
- Timber-destructive maritime insects	NPD

no performance determined

NPD: